Journal of the American Academy of Audiology Author Index

Allen P, 330
Alvord LS, 384
Arick DS, 173

Ballachanda BB, 133
Barry SJ, 70, 357
Berlin CI, 330
Blackwell WL, 17, 24
Blair JC, 412
Bornstein SP, 89, 259, 269
Brown DP, 1

Cambron NK, 259
Cooper JC Jr., 30, 37
Cox RM, 317
Cranford JL, 127
Cunningham DR, 343

Darling R, 279
Davis JM, 52
De Filippo CL, 366
Delgado RE, 77
Doubek K, 99
Doyle J, 216
Durham JA, 417

Eilers RE, 77
Elfenbein JL, 52, 366

Fagelson M, 379
Fausti SA, 110, 119
Ferraro JA, 17, 24
Fitzgibbons PJ, 210
Florin E, 279
Fortune TW, 307
Fowler B, 355
Frey RH, 110, 119
Friedrich BW, 243

Galambos R, 141, 151
Gelfand SA, 10
Gibson B, 325
Goebel J, 390, 399
Gordon-Salant S, 210
Green WB, 163

Halpin CF, 417
Harper T, 99
Hawkins DB, 138, 358
Hecox K, 183
Henry JA, 119
Herr RD, 384
Hood LJ, 330
Hurley RM, 195, 349

Jackson-Oman PA, 402
Jerger JF, 226, 279

Kallaus-Gay A, 52, 366
Kaltenbach JA, 300
Kasten RN, 402
Kileny PR, 7
Konkle DF, 355
Krumm MP, 127
Kuk, FK, 44, 99

Lansing CR, 52, 366
Lasky RE, 183
Martin FN, 379
Martinez CD, 243, 248
McMillan PM, 7
Mediavilla SJ, 17, 24
Mitchell CR, 110, 119
Moushegian G, 133
Muenchen RA, 417
Musiek FE, 195, 231, 265

Nelson JA, 138
Noffsinger D, 231, 243, 248

O'Connor JL, 119
Olson BJ, 146
Özdamar Ö, 77

Palmer CV, 286
Peck JE, 291, 359
Penn TO, 325
Phillips SL, 210
Potts LG, 390
Preece JP, 269
Preves DA, 307

Rupert A, 133

Salamon DL, 269
Sammeth CA, 70
Seaton JB, 412
Sells JP, 349
Silman S, 173
Silva PD, 151
Silverman CA, 173
Simpson TH, 300
Sinks BC, 399
Smith SL, 226
Snodgrass E, 183
Sperry JL, 236, 269
Stach BA, 226
Stewart M, 300
Stoner WR, 226
Stuart A, 163

Taylor IM, 317
Tharpe AM, 146
Thedinger BS, 17, 24
Thelin JW, 417

Updike CD, 204
Urbano RC, 77

Valente M, 390
Vass W, 390
Vittitow M, 343
Von Almen P, 412

Wilson M-J, 141, 151
Wilson RH, 231, 236, 243, 248, 255, 259, 269
Windmill IM, 343
Woodworth GG, 366
Wynne MK, 402

Yang EY, 163
Yates JW, 343
Yeni-Komshian GH, 210

Zizz CA, 236

Subject Index

ABR. *See* Auditory brainstem response
Acoustic neuroma, 349-353
Acoustic reflex threshold, 10-15
Acquired epileptic aphasia, 146-150
Adaptive frequency response, 307-316
Adolescent, 349-353
AEP. *See* Auditory evoked potential
AGC. *See* Automatic gain control
Age, 287, 387
  See also Elderly; Young
Air/bone-conducted clicks, 163-170
American National Standards Institute (ANSI), 300-305
American Speech-Language-Hearing Association (ASHA), 173-182
Amphibians, 291, 294-296
Amplification
  monaural, 286-289
  personal, 204-209
ANSI. *See* American National Standards Institute
Aphasia, 146-150
ASHA. *See* American Speech-Language-Hearing Association
ASP. *See* Automatic signal processing
Auditory brainstem response (ABR)
  acoustic neuroma, 349-353
  automated algorithm and, 77-87
  cortical deafness and, 333
  neonatal thresholds, 163-170
  paired-tone bursts and, 110-117
  Rett syndrome, 226-230
  using high-frequency tone bursts, 119-125
Auditory duration discrimination, 210-214
Auditory event-related potential (AERP), 70-75
Auditory evoked potential (AEP), in Rett syndrome, 226-230
Auditory pit, 359
Auditory placode, 359
Auditory vesicle, 359
Australian hearing aid clinics, 216-224
Automatic gain control (AGC), 99
  hearing aids, 106-107
Automatic signal processing (ASP), 99
  hearing aids, 107-109
Autonomy, of educational audiologists, 412-416

Babble, 92, 93
Babies. *See* Newborns

Journal of the American Academy of Audiology Author Index

Allen P, 330
Alvord LS, 384
Arick DS, 173

Ballachanda BB, 133
Barry SJ, 70, 357
Berlin CI, 330
Blackwell WL, 17, 24
Blair JC, 412
Bornstein SP, 89, 259, 269
Brown DP, 1

Cambron NK, 259
Cooper JC Jr., 30, 37
Cox RM, 317
Cranford JL, 127
Cunningham DR, 343

Darling R, 279
Davis JM, 52
De Filippo CL, 366
Delgado RE, 77
Doubek K, 99
Doyle J, 216
Durham JA, 417

Eilers RE, 77
Elfenbein JL, 52, 366

Fagelson M, 379
Fausti SA, 110, 119
Ferraro JA, 17, 24
Fitzgibbons PJ, 210
Florin E, 279
Fortune TW, 307
Fowler B, 355
Frey RH, 110, 119
Friedrich BW, 243

Galambos R, 141, 151
Gelfand SA, 10
Gibson B, 325
Goebel J, 390, 399
Gordon-Salant S, 210
Green WB, 163

Halpin CF, 417
Harper T, 99
Hawkins DB, 138, 358
Hecox K, 183
Henry JA, 119
Herr RD, 384
Hood LJ, 330
Hurley RM, 195, 349

Jackson-Oman PA, 402
Jerger JF, 226, 279

Kallaus-Gay A, 52, 366
Kaltenbach JA, 300
Kasten RN, 402
Kileny PR, 7
Konkle DF, 355
Krumm MP, 127
Kuk, FK, 44, 99

Lansing CR, 52, 366
Lasky RE, 183
Martin FN, 379
Martinez CD, 243, 248
McMillan PM, 7
Mediavilla SJ, 17, 24
Mitchell CR, 110, 119
Moushegian G, 133
Muenchen RA, 417
Musiek FE, 195, 231, 265

Nelson JA, 138
Noffsinger D, 231, 243, 248

O'Connor JL, 119
Olson BJ, 146
Özdamar Ö, 77

Palmer CV, 286
Peck JE, 291, 359
Penn TO, 325
Phillips SL, 210
Potts LG, 390
Preece JP, 269
Preves DA, 307

Rupert A, 133

Salamon DL, 269
Sammeth CA, 70
Seaton JB, 412
Sells JP, 349
Silman S, 173
Silva PD, 151
Silverman CA, 173
Simpson TH, 300
Sinks BC, 399
Smith SL, 226
Snodgrass E, 183
Sperry JL, 236, 269
Stach BA, 226
Stewart M, 300
Stoner WR, 226
Stuart A, 163

Taylor IM, 317
Tharpe AM, 146
Thedinger BS, 17, 24
Thelin JW, 417

Updike CD, 204
Urbano RC, 77

Valente M, 390
Vass W, 390
Vittitow M, 343
Von Almen P, 412

Wilson M-J, 141, 151
Wilson RH, 231, 236, 243, 248, 255, 259, 269
Windmill IM, 343
Woodworth GG, 366
Wynne MK, 402

Yang EY, 163
Yates JW, 343
Yeni-Komshian GH, 210

Zizz CA, 236

Subject Index

ABR. *See* Auditory brainstem response
Acoustic neuroma, 349-353
Acoustic reflex threshold, 10-15
Acquired epileptic aphasia, 146-150
Adaptive frequency response, 307-316
Adolescent, 349-353
AEP. *See* Auditory evoked potential
AGC. *See* Automatic gain control
Age, 287, 387
  See also Elderly; Young
Air/bone-conducted clicks, 163-170
American National Standards Institute (ANSI), 300-305
American Speech-Language-Hearing Association (ASHA), 173-182
Amphibians, 291, 294-296
Amplification
  monaural, 286-289
  personal, 204-209
ANSI. *See* American National Standards Institute
Aphasia, 146-150
ASHA. *See* American Speech-Language-Hearing Association
ASP. *See* Automatic signal processing
Auditory brainstem response (ABR)
  acoustic neuroma, 349-353
  automated algorithm and, 77-87
  cortical deafness and, 333
  neonatal thresholds, 163-170
  paired-tone bursts and, 110-117
  Rett syndrome, 226-230
  using high-frequency tone bursts, 119-125
Auditory duration discrimination, 210-214
Auditory event-related potential (AERP), 70-75
Auditory evoked potential (AEP), in Rett syndrome, 226-230
Auditory pit, 359
Auditory placode, 359
Auditory vesicle, 359
Australian hearing aid clinics, 216-224
Automatic gain control (AGC), 99
  hearing aids, 106-107
Automatic signal processing (ASP), 99
  hearing aids, 107-109
Autonomy, of educational audiologists, 412-416

Babble, 92, 93
Babies. *See* Newborns

Behavioral audiometry simulator, 417-425
Bicycle horn, 7-9
Binaural fusion
  spectral, 259-264
  temporal, 255-258
Binaural hearing aids, 279-284, 287
Binaural listening, 91-94
Body hearing aids, 138-140
Bone conduction, 163-170, 379-383
Branchial groove, 362
Broadband noise, 236-242

CANS. *See* Central auditory nervous system
Central auditory function, 265-268, 340
Central auditory nervous system (CANS), 231-234
Children
  acquired epileptic aphasia in, 146-150
  contralateral speech competition in, 127-131
  cortical deafness in, 341
  hearing impaired, 204-209
  middle-ear effusion in, 173-182
  time compression in, 89-96
  See also Adolescent; Newborns; Young
Cloze technique, 366-374, 376-377
Cochlear duct, 361
Cochlear implant, 52-69
Communication strategies
  breakdown, 57-58
  for clinical practice, 65-66
  for cochlear implant, 52-69
Compact disc. *See* Department of Veterans Affairs Compact Disc
Concha bulk, 47-48
Consonant-vowel nucleus-consonant (CVC) words, 255-258
Consultations, in hearing aid clinics, 216-224
Contralateral routing of signal (CROS)
  earmolds, 49-50
  hearing aids, 204-209
Contralateral speech competition, 127-131
Cortical deafness, 330-341
  ABR and, 333
  in children, 341
  electrocochleography and, 333
  language development and, 337-338
  middle ear, 332
  middle latency response, 333, 339-340
  otoacoustic emissions, 330, 334-335, 340
  speech development and, 333-334
CROS. *See* Contralateral routing of signal
Crus, 49
Cued listening, 279-284
CVC. *See* Consonant-vowel nucleus-consonant (CVC) words
CVs. *See* Nonsense syllables

Deafness. *See* Cortical deafness; Hearing loss
Department of Veterans Affairs Compact Disc (VA-CD)
  central auditory tests, 231-234
  dichotic chords, 243-247
  dichotic speech, 248-254
  masking level difference for spondaic words, 236-242
  segment-alternated CVC words, 255-258
  time compression and reverberation, 269-277
Dichotic chords, 243-247
Dichotic CVs, 70-75
Dichotic listening, 243-247, 248-254
Dichotic speech, 248-254
Digits, 248-254
Distortion, 317-324
Distortion-product otoacoustic emission (DPE), 183-193
Dizziness, 384-389
Dosimetry, 402-410
DPE. *See* Distortion-product otoacoustic emission
DuPont Mark I Audio Dosimeter, 403-404
Duration
  discrimination, 210-214
  patterns, 265-268

Ear
  canal, 144
  disorders, 364-365
  embryology, 359-365
  inner, 359-362
  middle, 173-182, 332, 362-363
  outer, 363-364
  phylogeny, 291-299
  and race effects in hearing, 30-36
  See also entries under Real-ear
Earmolds
  CROS, 49-50
  REIG and, 44-51
Earphones
  newborn hearing and, 141-145
  SPL measurement using, 390-396
Ectoderm, 359-360
Educational audiologists, autonomy of, 412-416
Educational Audiology Association, 412
Educational management, 337-338
Elderly, auditory duration discrimination in, 210-214
Electrocochleography
  cortical deafness and, 333
  tone-burst stimuli for, 17-22, 24-29
Electronystagmography (ENG), in emergency room, 384-389
Electrophysiologic hearing testing, 77-87
Embryology, 359-365
Emergency room (ER), electronystagmography in, 384-389
Endoderm, 363
ENG. *See* Electronystagmography
Epileptic aphasia, 146-150
ER. *See* Emergency room
ER-3A earphone, 390-396
Evolution, 291, 292-293
Exercise, and noise exposure, 343-347
External auditory canal, sound pressure levels in, 379-383

Filtered materials, 259-264
Fish, 291, 293-294
FM auditory trainers, 204-209
Forehead, 379-383
Frequency
  high, 119-125, 399-401
  patterns, 265-268
  responses, 133-136, 307-316

Gaze, 385-386
Gender, 287

Hallpikes, 386
Handedness, 287-288
HCPs. *See* Hearing conservation programs
Health and Nutrition Examination Survey
  ear and race effects in hearing, 30-36
  tinnitus, subjective hearing loss, and well-being, 37-42
Hearing
  ear and race effects in, 30-36
  screening program questionnaire, 325-329
  TEOAE in predicting, 195-202
Hearing aids
  Australian clinics, 216-224
  automatic gain control, 106-107

automatic signal processing, 107-109
binaural, 279-284, 287
body, 138-140
in children, 204-209
contralateral routing of signal, 204-209
impact of response, 298-299
impulse noise tolerability, 307-316
in-situ distortion, 317-324
REIG and, 99-109
time worn, 288
Hearing conservation programs (HCPs), 300-305
Hearing development
embryology, 359-365
phylogeny, 291-299
Hearing loss
acoustic reflex threshold and, 10-15
from bicycle horn, 7-9
exercise and noise effect on, 343-347
in intensive care nursery, 141-145, 151-160
and monaural amplification, 286-287
sensorineural, 399-401
subjective, 37-42
unilaterally impaired children, 204-209
See also Cortical deafness
Helix lock, 48-49
High-frequency thresholds, 399-401
High-frequency tone bursts, 119-125
High-pass filtered materials, 259-264

ICN. *See* Intensive care nursery
Identical twins, 1-4
Impulse noise tolerability, 307-316
Infants. *See* Newborns
Inner ear, 359-362
Insert earphones, 141-145, 390-396
In-situ distortion, 317-324
Intensive care nursery (ICN)
hearing loss in, 151-160
hearing thresholds, 141-145

Labyrinth, 359-360
LAEP. *See* Late auditory evoked potential
Landau-Kleffner syndrome, 146-150
Language, 287, 341
cortical deafness and, 337-338
Late auditory evoked potential (LAEP), 127-131
Late cortical responses, 333
Latency-intensity functions, 113-114
LDL. *See* Loudness discomfort level
Listening
cued, 279-284
dichotic, 243-247, 248-254
monaural/binaural, 91-94
Loudness discomfort level (LDL)
impulse noise tolerability, 307-316
real-ear SPL and, 390-396
Loudspeaker, 138-140
Low-pass filtered materials, 259-264

Magnetic resonance imaging (MRI), and acoustic neuroma, 349-353
Mammals, 291, 296-297
Mark I Audio Dosimeter, 403-404
Masking level difference (MLD)
for spondaic words, 236-242
time compression and, 89-96
Mastoid, 379-383
Mesenchymal cells, 362
Mesoderm, 360, 364
Metrosonic db-307 Noise Dosimeter and Integrating Sound Level Meter, 403-404
Microphone, 138-140
Middle ear, 362-363
cortical deafness, 332
effusion, 173-182
Middle latency response (MLR), 333, 339-340
MLD. *See* Masking level difference
MLR. *See* Middle latency response
Monaural amplification, 286-289
Monaural listening, 91-94
MRI. *See* Magnetic resonance imaging
Music
chords, 243-247
and exercise exposure, 343-347

Nervous system, 362
Neurofibromatosis, 349-353
Neurologic evaluations, 336
Neuroma, 349-353
Neuropsychologic evaluations, 336
Newborns
hearing loss in intensive care nursery, 151-160
hearing screening program questionnaire, 325-329
hearing thresholds, 141-145, 163-170
visual reinforcement audiometry, 419-420, 421
NIHL. *See* Noise-induced hearing loss
NIPTS. *See* Noise-induced permanent threshold shift
NITTS. *See* Noise-induced temporary threshold shift
Noise
broadband, 236-242
bursts, 236-242
dose prediction, 402-410
and exercise exposure, 343-347
REIG at different levels, 99-109
tolerability, 307-316
Noise-induced hearing loss (NIHL), 343
Noise-induced permanent threshold shift (NIPTS), 343, 347
Noise-induced temporary threshold shift (NITTS), 343-347
Nonsense syllables (CVs), 248-254
dichotic, 70-75
Northwestern University Auditory Test No. 6
low-pass and high-pass filters, 259-264
time compression and reverberation, 269-277
Nystagmus, 387

Occupational Safety and Health Administration (OSHA), standard threshold shift, 300-305
Organ of Corti, 360-362
OSHA. *See* Occupational Safety and Health Administration
Otic vesicle, 360
Otitis media, 1-4
Otoacoustic emissions, 330, 334-335, 340
Outer ear, 363-364

Paired tone bursts, 110-117
Passage difficulties, 366-374, 376-377
Pendular tracking, 385, 387
Personal amplification, 204-209
Pharyngeal pouch, 362
Phylogeny, 291-299
Pitch. *See* Frequency
Probe-microphone measurements, 138-140
Pure-tone screening, 173-182, 332

Race, and ear effects in hearing, 30-36
Radiologic evaluations, 336
Real-ear aided response (REAR), sound pressure levels, 390-396
Real-ear insertion gain (REIG)
earmolds and, 44-51

sound pressure levels, 390-396
speech and noise levels, 99-109
Real-ear insertion response (REIR) sound pressure levels, 390-396
REAR. *See* Real-ear aided response
Reference microphone, 138-140
REIG. *See* Real-ear insertion gain
REIR. *See* Real-ear insertion response
Reptiles, 291
Respiratory distress syndrome, 355-356
Rett syndrome, 226-230
Reverberation, 269-277

Saccade, 385
San Diego Newborn Hearing Testing Program, 153-154
Segment-alternated CVC words, 255-258
Sensorineural hearing loss, 399-401
Sentences, 248-254
Smooth pursuit. *See* Pendular tracking
Sound pressure level (SPL)
earphone measurement of, 390-396
in external auditory canal, 379-383
impulse noise tolerability, 307-316
Speech
competition and late auditory evoked potential, 127-131
detection and identification, 333-334
dichotic, 248-254
recognigition, 1-4
REIG at different levels, 99-109
SPL. *See* Sound pressure level
Spondaic words, 236-242
Spontaneous nystagmus, 387
Subjective hearing loss, 37-42
Summating potential, 17-22, 24-29

TDH-39P earphone, 390-396
Temporal envelope, 311-312
Temporal lobes, 330, 339-341
TEOAE. *See* Transient-evoked otoacoustic emission
Test-retest reliability, 399-401
Threshold-seeking algorithm, 77-87
Time compression
and masking level difference, 89-96
and reverberation, 269-277
Tinnitus, 37-42
Tonal and Speech Materials for Auditory Perceptual Assessment, Disc 1.0. *See* Department of Veterans Affairs Compact Disc
Tone bursts
high-frequency, 119-125
paired, 110-117
tympanic membrane and, 17-22, 24-29
Transient-evoked otoacoustic emission (TEOAE), 195-202
Tubotympanic recess, 362
Twins, 1-4
Tympanic membrane, 17-22, 24-29, 364

Unilaterally hearing impaired children, 204-209

VA-CD. *See* Department of Veterans Affairs Compact Disc
Venting, 48
Vertebrates, 291, 297-299
Visual reinforcement audiometry (VRA), 417-425
VRA. *See* Visual reinforcement audiometry

Well-being, 37-42
Word recognition, 255-258

Young
auditory duration discrimination in, 210-214
See also Adolescent; Children; Newborns

NEW! from ECKSTEIN BROS., INC.

MICROPROCESSOR

TETRATONE II™

A RAPID, ACCURATE SCREENING AUDIOMETER

A Truly Versatile Instrument for Basic Hearing Screening

- SIMPLE TO OPERATE
- ACCURATE RESULTS
- TEST BOTH EARS IN A FEW MINUTES
- FOUR FREQUENCIES: 500, 1000, 2000, 4000 Hz
- FOUR INTENSITY LEVELS: 20, 25, 40, 60 dB
- AUTO POWER OFF
- PULSE / CONT. MODE
- LOW BATTERY INDICATOR
- STORE RESULTS IN THE MEMORY. RECALL THEM ON THE DISPLAY. FILL OUT THE AUDIOGRAM SHEET

ECKSTEIN BROS., INC.

4807 W. 118th Place • Hawthorne, CA. 90250
Phone: (213) 772 • 6113 Fax: (310) 644 • 3869